


PRO®


DON'T BE FOOLED BY IMITATIONS



SIMPLE. AFFORDABLE. PROFESSIONAL

# THE ORIGINAL BRAND FOR PROFESSIONALS

Since Pro1's inception 10 years ago we have been dedicated exclusively to the professional HVAC channel. Our full line of thermostats simplifies installs and generates future business. The standard subbase, simple user interface, and large displays make Pro1 the simplest thermostat on the market today. If you experience a complication we have a fantastic network of local representation and an experienced technical support team located in the USA.



# A THERMOSTAT COMPANY DESIGNED FOR THE PROFESSIONAL TRADE

We focus all of our engineering efforts on your needs as a professional. Pro1 has pioneered many features that make your installations as simple and easy as possible.

## Color Coded Terminal Blocks

All Pro1 thermostats come with color coded terminal blocks and large wiring channels to make wiring as simple as possible.

## Glow In The Dark Light Button

Pro1 thermostats have a glow in the dark light button making it easy to check the ambient temperature in the dark without changing any settings.

## Large Easy To Read Displays

Pro1 thermostats have large blue back lit displays to make the ambient and setpoint temperature easy to locate and read.

## Easy Access Battery Door


The front accessible battery door makes it easy for the homeowner to quickly change out batteries.

## Interchangeable Subbase

All Pro1 thermostats have the same size footprint, making model upgrading a breeze. No wiring and no painting necessary.

## Private Label Badge System

All Pro1 thermostats share a removable badge system that can be easily replaced with a custom badge that has your companies contact information. This free service is a great way to generate future business for your company.



**PRO**

# THE PRO1 DIFFERENCE

What makes Pro1 different from all the other thermostat manufacturers? We focus our business around you - *the Installer*. Pro1 offers a full line of thermostats to fit your every need. We understand your business and are very thankful for your partnership.



## No Big Box Retail

You don't have to compete with the giant big box retailers. We sell our products exclusively to professional HVAC distributors.



## Customer Support

Tired of calling overseas when you have a problem with your installation? Our customer service team is well-trained and located in the USA.



## Profitable

Make the money you deserve without being compromised by low retail prices. We offer great margins to help make your business as profitable as possible.



## Easy Operation

Homeowners and installers love our simple operation. From installation to programming, all of our products work the same.



## High Value

We pride our business on being the best value in the industry. With Pro1 you get a feature-rich thermostat for a great price.



## Free Private Label

At Pro1 we offer a FREE private label program. Make your company the thermostat brand and generate future business.

**PRO1**<sup>®</sup>

# THE POWER OF PARTNERSHIP

Pro1 is a family owned business like much of the HVAC Industry. Your partnership has led us to become one of the largest thermostat manufacturers in the USA.

We are proud to celebrate 10 years of exclusively supporting the professional channel. We understand your business and want to thank you for your partnership and continued support. As a way to show our customers we appreciate their partnership, we offer a Loyalty Points Program as a way to reward and thank you for your loyalty. Simply collect your box tabs and visit [Pro1iaq.com](http://Pro1iaq.com) to redeem for gift cards or Pro1 gear.

BUY **PRO** EARN POINTS.  
GET REWARDED!



**Pro1 Model #**

**C** Commercial 2/4 Time Periods (Occupied/Unoccupied)  
**7D** 7 Day Programmable  
**5/1/1** 5/1/1 Programmable  
**NP** Non-Programmable  
**5/2** Programming From App

Stages of Heat  
 Stages of Cool  
 Gas, Electric or Oil  
 Heat Pump with Auxiliary  
 Heat Pump without Auxiliary  
 Battery Power  
 24V Power (Hardwire)  
 Outdoor Temperature Sensor Compatible  
 Dual Fuel Compatible  
 Display Size (Square Inches)  
 Auto Changeover  
 Filter Change Reminder  
 Room Temperature Calibration  
 Minimum Compressor Run Time  
 Compressor Short Cycle Delay  
 Adjustable Heat & Cool Temperature Swing  
 Cooling Fan Delay

WIFI		7D	5/1/1	NP	5/2	C	Stages of Heat	Stages of Cool	Gas, Electric or Oil	Heat Pump with Auxiliary	Heat Pump without Auxiliary	Battery Power	24V Power (Hardwire)	Outdoor Temperature Sensor Compatible	Dual Fuel Compatible	Display Size (Square Inches)	Auto Changeover	Filter Change Reminder	Room Temperature Calibration	Minimum Compressor Run Time	Compressor Short Cycle Delay	Adjustable Heat & Cool Temperature Swing	Cooling Fan Delay	
T855i		7D	5/1/1	NP	5/2	C	4*	2	•	•	•	•	•	•	•	8	•	•	•	•	•	•	•	
T701i		NP**						1	1	•	•	•	•	•	•	•	4	•	•	•	•	•	•	•
Wireless																								
Z955W		7D	5/1/1	NP			3*	2	•	•	•	•	•	•	•	13		•	•	•	•	•	•	
T955WH		7D	5/1/1	NP	5/2	C	3*	2	•	•	•	•	•	•	•	13	•	•	•	•	•	•	•	
T631W-2		NP						2	1	•	•	•	•	•	•	•	2			•		•	•	
Wired																								
BEST	T955	7D	5/1/1	NP	5/2	C	3*	2	•	•	•	•	•	•	•	13	•	•	•	•	•	•	•	
	T905	7D	5/1/1	NP			1	1	•		•	•	•			13	•	•	•	•	•	•	•	
BETTER	T855S	7D	5/1/1	NP	5/2	C	3*	2	•	•	•	•	•	•	•	8	•	•	•	•	•	•	•	
	T855	7D	5/1/1	NP	5/2	C	3*	2	•	•	•	•	•	•	•	8	•	•	•	•	•	•	•	
	T805	7D	5/1/1	NP			1	1	•		•	•	•			8	•	•	•	•	•	•	•	
	T801	NP						1	1	•		•	•	•			8	•	•	•	•	•	•	
GOOD	T771	NP						0/1	0/1	•			•	•			4			•		•	•	
	T755H	5/1/1	NP				3*	2	•	•	•	•	•		•	•	6		•	•	•	•	•	•
	T755S	5/1/1	NP				3*	2	•	•	•	•	•	•	•	•	6		•	•	•	•	•	•
	T755	5/1/1	NP				3*	2	•	•	•	•	•		•	•	6		•	•	•	•	•	•
	T725	5/1/1					2	1		•	•	•	•		•	•	4		•	•	•	•	•	•
	T721	NP						2	1		•	•	•	•		•	4		•	•	•	•	•	•
	T715	5/1/1					2	2	•		•	•	•			•	4		•	•	•	•	•	•
	T705	5/1/1	NP				1	1	•		•	•	•				4		•	•		•	•	•
	T701	NP						1	1	•		•	•	•			4			•		•	•	•
BUILDER	T631-2	NP						2	1	•	•	•	•	•			2			•		•	•	•
	T621-2	NP						2	1		•	•	•	•		•	2			•		•	•	•
	T605-2	5/1/1					1	1	•		•	•	•				2		•	•	•	•	•	•
	T601-2	NP						1	1	•		•	•	•			2			•		•	•	•

High/Low Speed Fan Switch															
Programmable Fan		•													
Pre-Occupancy Fan Purge		•													
IAQ Fan Mode		•													
Always on Display Light		•													
Keypad Lockout		•													
Adjustable Setpoint Limits		•													
Humidity Control															
Memory Type (Permanent)															
Touchscreen															
Remote Sensor Capable															
Millivolt															
Warranty															

## Terminals

											3	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B
											3	Rh, Rc, C, Y, W, G, O, B
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B, H, D
•											5	R, C, Y, W, GH, GL, O/B
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B, S1, S2
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B
											5	R, C, W/Y, G
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B, H, D
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B, S1, S2
											5	Rh, Rc, C, Y, Y2, W/E, W2, G, O, B
											5	R, C, Y, W2, E, G, O, B
											5	R, C, Y, W2, E, G, O, B
											5	Rh, Rc, C, Y, Y2, W, W2, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B
•											5	R, C, Y, W, GH, GL, O/B
											5	R, C, Y, W2, E, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B
											5	Rh, Rc, C, Y, W, G, O, B

## Accessories

ACCESSORIES		COMPATIBLE WITH
RZ251W	Secondary Zone Controller- Wireless Remote Sensor	Z955W - T955WH
RZ250W	Wireless Outdoor Sensor	Z955W - T955WH
Z260W	Damper Module	Z955W
ZDA250W	Discharge Air Sensor	Z955W
W150W	Wireless Repeater	Wireless Models
WW160W	Wireless Wire	24V
R250S	Wired Outdoor Temperature Sensor	T755S - T855S
R251S	Wired Indoor Temperature Sensor	T755S - T855S
T150	Stat Guard Cover	Any Thermostat
T119	Universal Wall Plate	Any Thermostat
E219	Weather Resistant Junction Box	Any Model

## Model # Nomenclature

### Prefix

**T** Thermostats - **DA** Discharge air sensor  
**R** Remote sensor - **Z** Zoning capable

### First Number

**6** 600 platform - **8** 800 platform  
**7** 700 platform - **9** 900 platform

### Second Number

**0** Single stage - **3** Universal PTAC  
**1** Multi stage gas - **5** Universal multi stage  
**2** Multi stage heat pump - **7** Heating or cooling

### Third Number

**1** Non-Programmable  
**5** Programmable

### Suffix

**W** Wireless - **S** Wired Remote Sensor Capable  
**H** Humidity Control - **-2** Series Number  
**i** Internet Capable



[www.pro1iaq.com](http://www.pro1iaq.com) | 1-800-PRO1 (776-1559)